G. R. S. 59]

GENERAL AND REVENUE SECRETARIAT.

1896-1897
~~19~~ .
(Muzrai)

File No. 36 Section VI

Serial Nos. 1-4

Papers Filed.

Month March 1906

SUBJECT.

Sanctions a monthly Cash grant of Rupees twenty/- for the maintenance of the Sri Venugopal Krishna Swamy Temple newly constructed at Malleswaram 8th Cross in Bangalore city

PREVIOUS REFERENCES.	LATER REFERENCES.

MUZRAI SECRETARIAT

OFFICE NOTE.

File No.

SUBJECT.

Application for a new Jaadik grant to the new Vishnu temple in the Malleswaram Extension, Bangalore

From

The Joint Secretaries of the Temple Committee

No. 299 Dated 15th July 1905.

The circumstances connected with the construction of the new Vishnu temple in the Malleswaram Extension, Bangalore, are detailed in the Office note in this file.

i) A plot of ground measuring 270 × 180 feet between the 10th and 11th Cross roads in the Park was granted for the construction of the new temple.

ii) The materials of the Anjaneyaswamy temple which was formerly in the Railway Compound and that of the Basavanna and Anjaneya temples in the Jungle to-

MGCPL 500-21 1 05

near the extensions, were also given over towards the construction of the new temple.

iii) Towards the cost of the construction of the new temple, a sum of Rs 1900/- in all was sanctioned from the State Grant.

iv) Four large stone pillars which were in the bed of the breached tank near Basavanagudi, were also given to the Malleswaram temple for the construction of its Mahadwara.

v) The resumed annual cash grant of Rs 11-10-0 endowed to the Anjaneya Swami temple (mentioned in cl: ii above) was restored, the idol having been consecrated in the new temple.

vi) New spare Utsava Vigrahas &c were procured & given for use in the new temple

The public raised subscriptions

and constructed the new temple at a cost, it is said, of about Rs 10,000/- in commemoration of the Installation of H.H. the Maharaja, and the Sri Venu Gopala Krishnaswami, Ammanavaru &c were consecrated on the 28th August 1901.

Mr. S. Venkataramaiyar, Retd. Extra Asst Commr & Mr. S.M. Jagannatha Chetty, the joint Secretaries of the temple committee now represent & in their petn that for a period of nearly 3 years they have been maintaining worship &c in the temple from private subscriptions at the rate of Rs 50 a month. They say that they have been experiencing much difficulty in collecting the subscriptions as some of the subscribers have been transferred & some have either retired or changed their residence. They say that it is impossible for them to

Muzrai Secretariat. File No. of 190

to carry on Divine Service in the Temple, and pray for a Jaadik Grant of Rs 50 per mensem for Establishment & Padikara charges as under

Pay of Archak ——— Rs 10.
" Parichavak ——— " 10
" Velaya davaru ——— " 4.
Flowers, Camphor &c — 6.
Padikara, Deeparadhane &c " 20.
50.

They quote the instances of a few cash Grants which were resumed during the Inam Settlement, as now available.

~~Perhaps it will be considered inadvisable to operate these resumed Grants for the reason that the Grants may have at some future time, to be restored to the institutions concerned, when Puja is revived therein.~~

Submitted w/ 20/7/05

A cash grant of Rs 14 per mensem was recently sanctioned

Muzrai Customs Office Rd 3/3/04

29th February 1904.



To

The Secretary
Muzrai Department,
Bangalore

Sir,

In acknowledging with thanks the receipt of your Memo: no 1706 Muz. F. 36-96, dated the 19th February 1903, forwarding a copy of Government Proceedings No: 1704-5 Muz. F. 36 96 of the same date, sanctioning towards the completion of Sree-Venugopala Krishna Swamy's Temple at Malleswaram, a second instalment of Rupees Five Hundred (500/-) from the State grant provided in the Muzrai Budget, and observing that from the Bangalore District Deputy Commissioner's Report on the Temple, there was difficulty in actually checking & verifying the accounts

the Accounts of the Construction of the Temple, we have the honour to state that the Deputy Commissioner could have easily taken the measurements etc and ascertained the actual cost incurred by us.

Now we beg to submit herewith the following statements prepared by Mr M. Raghavendra Rao, Sub. Asseer, Mysore P. W. D — shewing the actual Cost of Construction up to date and the estimated cost of the Works still remaining to be done: ——

(1) Statement A, shewing the Cost of Constructing the main Temple, as per actual measurement viz —— Rs 4410
(2) Statement B, shewing the Cost of Constructing Anjaneya Swamy's Temple viz Rs 1318
(3) Statement C, shewing the Cost of Constructing the Yagasala, Store Room, & kitchen viz Rs 1522
(4) Statement D. shewing the Cost of Constructing the Alwars' Temple viz —— Rs —— 1549
(5) Statement E, shewing the Cost of Constructing a Car. shed viz —— Rs 248

Total Rupees 9047

(6) Statement F. shewing the probable Cost of the Compound Wall, the Well Mahadwaram, Gopuram, Verandahs Vimanam etc which remain to be constructed viz Rs 4000

Out of the total Cost viz Rupees 9047/- incurred up to date

Rupees 9047/- were raised by
private subscriptions and Rupees
1000/- granted by Government.
As not less than Rupees 4000/-
are required to complete the
buildings &c as per accompanying
Statement F, we most respectfully
solicit that the balance of Rs
Rupees 3523-8-0 to make up
the moiety of the total cost
incurred up to date viz Rs 9047/
may be kindly sanctioned from
the current year's Muzrai budget
more especially, as we do
not expect any more money
from private sources.

We have the honour to be,

Sir,

Your most obedient servants

S. Venkatakrishnaiengar

Illegible

Joint Secretaries,
New Vishnu Temple
Committee,

Madras

Statement shewing the Cost of Constructing True Vencoyapa's Krishna Deva Roya Temple in the Mulleswara Extension, Bangalore. as per actual measurement

Items of works	No	Dimensions L	B	D	Quantity	
Earthwork Main Building of (Temple). Excavation						
Side Longitudinal wall Excavating						
Foundation	2	33½	3	3	603	
Front and Rear walls do	2	26	3	3	468	
Cross walls	1	26	3	3	234	
Side walls of Verandah	2	12	3	3	216	
Front wall	1	26	3	3	234	
Extra depth for Pillars	24	3	3	1½	394	
Side walls of Y.V. Room	2	10	3	6	360	
Rear wall of do	1	5½	3	6	99	
Total Earthwork Excavation					2538	cyds 94
Filling between basement & Curing from 1 furlong distance watering & ram		44			100	
Fill in foundation with Concrete						
Side Longitudinal wall.						
Side walls of Y.V. Room	2	10	3	1½	90	
Rear wall of do	1	5½	3	1½	45	
Do front	1	11½	3	1½	25	
Below Pillars	24	3	3	1½	324	
Total Concrete					414	cft 4464
Do Stone in Chunam						
Below Pillars	4	3	3	4½	162	
Do in Verandah	2	12	3	3	216	
Do	1	6	3	3	54	
Total					432	cft 6156
Do Stone in Sand						
Side Longl wall	2	33½	3		360	
Front and Rear walls	2	26	3		468	
Cross walls	1	26	3		78	
Side walls of Y.V. Room	2	10	3	1½	90	
Rear walls of do	1	5½	3	4½	74	
Total						

Dwarja Stamba including foundation							
Superstructure and Image Complete				Lump Sum Rs			10-0
Dressed Stone for Door Jambs						170	3
Payment made to Sculptor for Repairing							
the ire of Siva Parbati in Swarg				Lump Sum Rs.			75
Carving Figures				Do			56
Returned Cost from Mysore for 3 Doors				Do			40
Carving Figures Electro plated				Lump Sum Rs			100
Repairs, and Carving old Temple							
Stones				Lump Sum Rs			100
Wall Abutment	2	3	6 "	30	Sft	30	
Wall in Ft	6	8	1¼ "	60	Sft	60	
Stones from Carved with Sculptures	6	3	4 "	72			
	2	3	5¼ "	31			
Total windows				105	Sft	103	
Doors Cattered, back new Complete	4	4½	" 7	126			
	1	0 3/4	" 4 3/4	52			
Total Doors				178	Sft	178	
Pilasters Pairs	2	8	long		Rft	10	
" "	1	1	12		"	4	
Plinth	3		0		RR	8	
	2½				Do	6	
the steps							
" sides							
" facing							
the Stone to the Terrace, Pre mises							
of Mr Cook of Shimoga				Items			56

Verandah

Slab floorings	1	23	9 "	207	Sft	207
Rock Stone Seats						
New post	4	9	1¼ "	45		
Capitals	4	1½	1½ "	9		
Stone Beam	4	12	1 "	48		
— do —	3	8¼	1 "	25		
Total				127	Sft	127
Cove slabs over beams	3	8½	1½ "	37	Sft	37
Terracing with Cudpah & Cement						
for Roofing	1	25	9¼ "	231	Sft	231
Rock Gradins	12	8½	(3" 5")	102	Rft	102
Parapets	Rft					25
Water Stones	Nos					2

Abstract A

Items	Per	Rate			Quantity	Cost
Earthwork Excavation	cyd	"	2	0	94	12
Filling between wall ascement Archi's Park from Pavilion & wall making Consolidation	cyd	"	4	0	100	25
Filling foundation with Concrete	cyd	"	3	0	644	87
do Stone in Chimneys	cyd	"	2	6	612	96
do Stone in Sand	cyd	"	1	4	649	181
Pavement Stone in Chimneys with bonds Cores	sft	"	2	9	1680	289
Stone slabs dressed 6" thickness & Stone	sft	"	4	6	676	190
Superstructure Stone in Chimneys	cft	"	3	0	1130	212
Roofing with stone slabs and Concrete 15" thick pointing and packing with Chimney Dressing face and joints (with all necessary Materials)	sqr	50	"	-	13½	686
Plastering in Chimneys over stone work	sqr	3	8	0	15·15	52
Brick in Chimneys Corners	sft	"	8	0	113	57
Water spouts in slabs	no	2	0	0	10	20
Pillars only dressing Cir no & finishing Stone	cft	"	4	0	696	174
Capitals 2 ft: square 9" thick adjusting to the required dimensions	no	3	"	-	25	75
Feeder holes newly prepared formed 12×12	no	2	8	0	19	49
Do Specially prepared ones in the Hall	no	10	"	0	2	20
Stone dressed frame for chimney mantle	no	25	"	-	4	100
Do large Sqg	no	30	"	-	1	30
Flooring with Cuddapa slab with Cement pointing	sqr	20	"	-	518	130
Do with grate do	s	18	-	-	354	64
Specially dressing the faces of Cuddapa Slab Where pillars rest	"	"	8	0	2	13
Inscription Stone Containing letters with Gold lining	Each	2 days			"	40
Ornamental Chimney work for	no	"	10	0	1½	7
Relief work for Pavilion & Clock	no	"	-	-	2	30
do Medals	no	12	8	-	2	5
Chimneys of main buildings	Lump Sum					200
do of side temples	do					25
Chimneys &c of garbha griha	do					-

B.P.

Shwe pa Sramba including foundation superstructure and image & actual Cost	Rs.					100
Dressed Stones for Images 8.5"x8"	No				3	30
Name & name to Sculptor for engraving the figure of Srie Gupta Buddha Swaying Coat of Sraman Vigaha						75
Realing Lure from Myaung for Upakan						56
Copper Relief Electroplated						40
Dismantling and carting old temple Stone	Rs	Lump Sum				100
Wall Plinth	Sft	1	"	-	30	30
Do Shelf	Sft	"	8	0	60	30
Posts iron bars, bolts and other fittings Complete	Sft	1	4	0	178	222
Iron bars with Pattern	Sft	1	2	0	103	116
Pillars 10 ft long	Each	10	-	-	8	80
Do 9 ft high	Each	20	-	-	4	80
Capitals	do	5	"	-	8	40
Base do	do	3	0	-	6	18
Stone Slab floor	Sft	"	12	0	127	95
Stone slabs over Base	Sft	"	6	0	37	14
Masonry with Cement foundation and plastering 4 ea Complete	Cft	22	0	0	231	57
Steel bindars	Rft	"	12	0	102	77
Floor	Rft	"	8	0	26	12
Roof portion Stones Base	Cft	"	12	0	73	55
Piles	Cft		1		21	16
Removing from the bed of the port bank four Pillars & capitals of dismantled Shrine & Carting the same to the Temple Premises					28 Rs	56
						4410

29th May 04

In Registrar's Office
In house & P.W.D
Rangoon

Statement shewing the Cost of Constructing Anyanigya Swamps Single Mullewwa Extension Bangalore, as per actual measurement.

Particulars	No	Dimension			Quantity		
Excavating foundation, Earthwork							
Longitudinal walls	2	17	2½	3	262		
Front and Rear do	1	19	2½	3	142		
	1	15	2½	3	112		
	1	23	3	6	414		
Total					930	cft	34
Filling in Basement, Cutting Earth &c					Qrs	28	19
Concrete Filling for foundation							
Foundations	1	23	3	1½	103	cft	103
Stone in Sand. Foundation							
Cross walls	1	23	3	4½	621		
Side walls	2	17½	2½	3	263		
Front wall	1	10	2½	3	142		
Piers	1	15	2½	3	112		
Total cft					1138	cft	1138
Stone in Chunam. Basement							
Longl. walls	1	16	2	2¼	72		
Front wall	1	19	2	2¼	85		
Cross walls	2	19	2	2¼	171		
Piers	1	19	2	2¼	86		
Total					414	cft	414
Do Superstructure							
Walls between Pillars	2×2	5	1½	8	240		
Cross walls	2	5	1½	8	120		
Piers	3	5	1½	8	180		
Total					540		
Deduct for doorways					41		
Balance Stone in Chunam							

Specklin Schumann

Front wall	1	193/4	17/8	8	178	178	
Deductions	1	7	17/8	41/2	35		
	2	23/4	17/8	41/4	25		
	2	1	1	8	16		
		Total deductions			76	76	
Balance Specklin Schumann					eff	102	102

Flooring in Schumann

Incl. cut Stone work	9	5	"	7	360		
Bulkeads ___ lb ___	1	57	"	8	408	Sqr.	7.68
Line of [illegible]	2	193/4	8	-	236		236
Total Flooring in Schumann					1004	Sqr.	1004

Ceiling with Concrete and Slab Jointing

Ten Compartments	1	23	16	"	368		
9/6 x 1 B	1	7	7	"	49		
Total Ceiling or Terrazzo					417	Sq.	417

Flooring in Carbonized Slab

Hall	1	19	10	"	190	Sq.	190
Pillars Stone Ornaments Parting for Concrete Compartments						Ft.	84
Moulding (Separate 7" x 1 1/2")						Ft.	14
Capital and Ornaments						Ft.	14
Stone Slab							
over Basement	2	16	2	"	64		
	3	19	"	"	114		
[illegible]	1	1	7	"	05		
[illegible]	1	5	1/2	"	8		
Hearth [illegible]	1	[illegible]	5	"	21		
Total					244	Sft	244
Raised Stone floor frame						Ft	1
Moulded Stone [illegible]						Ft.	10
[illegible]						'	5
Raised Seat Stone						"	10
Stone Pilaster						"	5
Ornamental Cornice	44					Ft	1.83
Fixed ornamental	Pcs					"	216
Fill Ornamental Frieze	25						30
Raised Stone Pilaster	3						20
[illegible]							10

Doors with Iron work & Shutters, & fitting Complete	Sft				11	49
Do Do		1	5	9 3/4	39	50
Carving old Stones from Fort and Shankar Juran	Lump Sum Rs-					50
Stone Steps dressed		4	6 3/4	1	- 84	27
Windows Iron barred with Shutters		2	0	41		

Abstract

Items	Per					
		'	'	"	'	'
Earth work Excavation	cyd	0	2	0	34	3
Do Filling between basement & chunam floor	cyd	0	4	0	19	5
Concrete filling for foundation	cft	0	3	0	03	19
Stone in Sand	cft	0	1	9	1138	125
Stone in Chunam (Basement)	cft	0	2	1	414	41
Do Superstructure	"	0	3	0	493	92
Ceiling with with Slobor & Cement Coating dressing mixed & fixed in new slab	Syd	30	0	0	417	209
Flooring with Cuddapah slabs & pointing	yd	20	0	0	190	38
Fluted old Pillars including sight	No	3	0	0	14	42
Pedestals newly prepared	No	2	8	0	14	35
Capitals	No	1	0	0	14	21
Stone slabs including missing	Sft	0	4	0	249	1
Plastering over Stone work	Syd	3	0	0	708	27
Do over Brick work	Syd	2	8	0	23	6
Dressed Stone door frame	No				1	40
Inscription Stone with letters	Inch	0	9	-		40
Dressed Stone beyond plinth	Sft		0			0
Dressed Seat Stone	No		2		1	10
Corona Cornice	No		2		1	0
Ornamental Cornice						

Varnish Ornamental	Sft	1	a	-	94	94
Full Do inside & Verandas	Ld				1	50
Value of Brass Railing	Do					26
Iron Stone Beams	Sft	1	a	-	110	110
Roof with Shutters Complete	Sft	1	4	0	50	62
Carving Wood Stone	Ld					50
Brick in Chunam	Sft	a	2	6	102	16
Carved Stone Step	Sft	a	4	0	27	7
Windows & Doors	Sft	1	2	-	27	30

Statement Shewing the Cost of Constructing Yagasala Store Room and Kitchen attached to the Sree Gopal Krishna Swamy Temple Mulleswara Extension, as per actual measurement &c.

Particulars	No	Dimension L	B	D	Contents		
Earthwork							
Excavating foundn. Front & Rear walls	2	61	2½	2½	762		
End & Cross walls	4	11	2½	2½	275		
Total Excavation					1037	c/ft	29
Filling foundation Stone in Sand							
Longl. walls	2	61	2½	2¼	686		
End & Cross walls	2	11	2½	2¼	248		
Extra depth	1	4	2½	⅓	3		
Total Stone in Sand					737	c/ft	737
Filling between basement by bringing earth from a distance of nearly a furlong		c/ft			45	c/ft	45
Stone in Clay Basement							
Longitudinal walls	2	60½	2	23¼	665		
Cross walls (for 1 wall no foundn.)	5	11½	2	23¼	316		
Total Stone in Clay					c/ft		981
Brick in Clay Superstructure							
Longitudinal walls	2	60	1½	103/4	1935		
Cross walls	3	12	1½	103/4	580		
	1	12	1⅞	103/4	145		
	1	12	¾	6	54		
Total					2714	2719	1
Deductions. Doors. Archway	3	3½	1½	6½	102		
Windows	1	3	1½	4	18		
do.	10	3½	1½	2	105		
Total deduction						220	
Balance Brick in clay						24.4	24.4
Plastering in Chunam							
Exterior	1	150	"	103/4	1612	50	1672
Rough Coat Plastering Inside	2	58½	-	11 3/4	1263		
	2	47	"	3/4	1 1		

Tracing with Cardboard Slab Counts							
and to Remain Existing	1	58	13	-	7.54	Sqyd	7.54
Cornice 9" projection		Rft				153	153
Ex Privy parapet		Rft			150	Rft	150
Reduced Works Coats	45	10½	3"	6"	5906	eft	5906
Jambs (Recess)	3	14	5/6	1	3500		
Do	1	14	1	15"	14.50		
Rafters	2	12	3"	5"	2-50		
Total Deduct					Cft		5500
Flues and dress to the	3	3½	"	6½	68	Sft	68
Do in Pieces the Soon Rom							
and ½ Flue Complete	1	3	"	4	12		
Ventilators	10	3½	"	2	70		
Total Deduct					82	Sft	82
She lights to Chimney 10½ x 4 x 3		Lnft				14½	14½
Stone Slabs							
Sills of doors	3	5	2	(6")	30		
Sills and Lintels of windows	2	6	1½	8"	12		
Do	2x10	4½	1½	-	135		
For Benches	1	9	"	2½	22		
Uprights	2	2½	3	"	15		
Flooring Granite slabs		Sft			25		
Hearths	1	29	42	-	348		
Total					589	Sft	589
Stone Circle recently cleared	1	6	3½	(8")	39	Sft	39
Cleaning Granite Coping		No					1
Brick Courses Flashing	2	8	1½	"	20	Sft	20
Flashing	1	10½	6	"	63	Sft	63
					10	No	

Abstract B

Items	Per	Rate R A P	Quantity	Cost
Earthwork Excavation	cyd	2 .	39	5-
Filling foundation stone in sand	cft	. 1 9	95·7	103
Basement stone in clay	cft	. 1 9	981	107
Filling in basement	cyd	. 4 .	45-	11
Brick in clay	cft	. 1 9	2494	273
Chunam Plastering	sq	2 8 .	16·12	40
Rough plastering	sq	1 8 .	22·73	34
Cuddappa slab Terracing	sq	25 .	7·34	188
Cornice 9" projection	Rft	. 6 .	15·3	37
Teakwood Work	cft	3 8 .	59·06	207
Jungle wood work	cft	2 8 .	53-	138
Teak wood Doors	sqft	1 . .	68	68
Windows with bars & shutters	sqft	1 4 .	82	87
Skylights	Rft	1 8 .	14·5-	22
Pointing the basement	sq	1 8	4·12	6
Stone slab flooring	sqft	. 3 .	5·37	110
Dressed slab for Kitchen	sqft	. 8 .	39	20
Do do Carting & fixing	LS.		— — —	20
Mortar	LS			4
Shelf planking	sqft	. 5 .	63	20
Wooden Pegs	no	. 3 .	10	2
			Total Rupees	15-22

29/2/04 M Raghavendra Rao
Subassistant PWD

a ment ewing ; Cost Construction of the Alwars Temple, Walls, vas and Extension Bangalore, as per actual Measurement.

Particulars	No	Dimensions L	B	D	Quantity	
Excavating foundation Earthwork						
Side Walls	2	14½	2½	3	217	
	2	9	2½	5	225	
Front & Centre Walls	1	18¾	2½	3	141	
(Extra. filling)					40	623
	2	18¾	2½	5	469	
Cross walls of Garbhagudi	2	5¾	2½	5	144	613
Total Earthwork					Cft 1236	Cyds 46
Filling foundation in Chunam						
Side walls	2	14½	2½	3	218	
	2	9	2½	5	225	
Front & Centre walls	1	18¾	2½	3	141	
Cross walls	2	18¾	2½	5	469	
	2	5¾	2½	5	1411	
Total filling foundation					Cft 1197	44
Basement End Walls	2	23	2	3½	322	
Front and rear walls	4	19	2	3½	532	
Cross walls	2	6¼	2	3½	87	941
Total					Cft 941	Cft 2138
Stone Slab over basement	1	134½	2	½	269	Sft 269
Filling in Basement with mud					Cyds	20

Stone in Chunam

Long wall	2	22 3/8	1 1/2	8 1/3	559
Outer wall	1	19 1/4	1 1/2	8 1/3	241
Inside wall	1	19 1/4	1 1/2	7 3/4	224
Partition wall	1	19 1/4	1 1/8	8 1/3	180
Patching to Posts	10	9	1/4	1 1/2	34
do do	2	9	1/4	1 1/4	6
Total Cft					1244

Deductions

Posts	16	1 1/8	1 1/8	8 1/3	169
Doors	2	3	1 1/2	5 1/2	50
do	1	2 3/4	1 1/2	5 1/2	23
do	1	4 1/2	1 1/2	7 1/3	49
Slab over Doors	3	5"	1 1/2	1/2	11
Total Cft					302

Balance stone in Chunam Cft 942

stone steps	4	6	4	1	Sqft	27
Ceiling with stone slabs and Cement pointing &c	1	23	23	529 Sqft		529
Cornice	4	22 1/2		90 Rft		90
Parapet	4	22		88 Rft		88
Flooring with Cuddappa slabs	1	19	5"	95 Sqft		
	1	19	4 3/4	90 Sqft		
Garbhagudi with stone slabs	1	19	6	114 Sqft		299
Stone Beams	24			no		24
Stone Capitals	16			no		16

in Chunam			1	63	9 · 567		
			1	50	8 · 400		
		Total				sqft	967
Ornamental stone Door frames	3					no	3
Pillars to go in walls	16	8	1	1	128	cft	128
Pedestals	16					no	16
Windows barred with shutters	2	3	4½		27	sqft	27
Battened Doors with locks &c	3	4½	7		95		
	1	5	7¾		39		
		Total	sq/ft				134
Sonna Sútras	3		no				3
Stone seats for the Alwars	12		no				12.

Abstract D

Items	Per	Rate R	A	P	Quantity	Cost.
Earthwork Excavation	Cyd	. 2	.		46	6
Filling Foundation in Chunam	Cft	. 2	9		2138	368
Slabs over Basement	Sqft	. 3	6		269	59
Filling in Basement Earthwork	Cyd	. 4	.		20	5-
Stone in Chunam	Cft	. 3	.		942	177
Stone Steps	Sqft	. 4	.		27	7
Terracing with Stone slabs	Sq	50	.	.	5.29	265-
Cornice	Rft	. 6	.		90	34
Parapet	Rft	. 8	.		88	44
Flooring	Sq	18	.	.	2.99	54
Plastering in Chunam	Sq	2 8	.		967	24
Stone Beams	Each	3	.	.	24	72
Stone Capitals	Each	1 8	.		16	24
Ornamental Door Frames		25-	.	.	3	75-
Pillars b&s in walls	Cft	. 8	.		128	64
Pedestals	Each	2 8	.		16	40
Windows with Shutters	Sqft	1 2	.		27	30
Battened Doors	Sqft	1 4	.		134	168
Soma Sutras	Each	3	.	.	3	9
Stone seats	Each	2	.	.	12	24
					Total Rupees	1549

M Raghavendrachar
Measured & Drawn

E

Statement shewing the Cost of Construction of the Carshed attached to Sree Gopalakrishnaswamy Temple, as per actual measurement.

Particulars		no	Dimensions			Quantity	
Earthwork.	Excavation	2	18	2	3	216	
		1	11½	2	3	69	285
Stone in clay as per excavation							285 cft
Basement		2	18	1½	2	108	
		1	12	1½	2	36	144 cft
Brick in clay	Long! wall	1	17¾	1⅛	9	180	
	2nd wall	1	12½	1⅛	9	126	
	gable	1	2½	1⅛	9	25	
	-Do-	1	13¼	1⅛	4	30	361 cft
Brick in Chunam	walls	2	7½	1½	9	40	
	Gable	4	9	¾	¾	20	60 cft
Jungle Wood work	Rafters	14	11	3"	5"	14	
	Collars	7	9	3"	5"	7	
	Bressummer	1	14	10"	12"	4	
	Wall plate	1	21.	3"	4"	2	27 cft
Roofing	Ridge Tiles	no					18
	Tiles with 1st class Manjalam tiles & light wood work complete	2	18½	11		407	407 sqft
	Chunam Borders	Rft					26 Rft
Gate	Stone slabs (erect)	2	4	1		8	
	Bonds	3	½	1		5	
	Bottom slab	1	10½	1		10	23 sqft
Plastering in Chunam							
	Wall	1	34	9		306	
	do	1	32	9		288	
	Gable	2	13	2		52	646 sq ft.

Abstract E

Items	Per	Rate	Quantity	Cost.
Earthwork Excavation	Cyd	. 2 .	11	1
Stone in clay	Cft	. 1 6	285	27
Basement	Cft	. 1 6	144	14
Brick in clay	Cft	. 1 9	361	40
Brick in chunam	Cft	. 2 6	60	9
Jungle Wood work	Cft	2 . .	27	54
Roofing	Sq	18 . .	407	73
Ridge Tiles	1	4 .	18	5—
Borders Chunam	Rft	. 3 .	26	5—
Stone slabs	Sqft	. 3 .	23	4
Plastering	Sq	2 8 .	6.46	16
			Total Rupees	248

M Raghaveendra Rao,
Overseer
P.W.D

Probable Cost of Works still remaining to be done; to complete Shree Gopala Krishnaswamy's Temple

Particulars	No	Dimensions	Contents
Vimanas with Kalasas for Alwars' Temple	3	@ 50 Rs —	150
Compound Wall	Rft 800	@ Re 1/- per Rft	800
Mahadwaram or Main Entrance — 3 Anakanams		@ Rs 300/- —	Rs 900
Gopuram for the Main Entrance	—	Lump Sum —	Rs 1000
Verandah all round the Main Temple	17	Anakanams @ Rs 50 -	850
Cost of the well (with stone pivotment etc)		L. S. — (Rs —	300
		Total Rupees — —	4000

MUZRAI SECRETARIAT.

C 193 —190 S/2

From

L. ANANTASAMI RAO, Esq., B.A.,
~~Deputy~~ Secretary to the Govt. of
H. H. the Maharaja of Mysore,
Muzrai Department.

To Messrs
S. Venkataramiengar
& Sri. Jagannatham Chetty
Joint Secretaries, New Vishnu temple &c,
Committee, Malleswaram Extension
Bangalore City.

Dated

Despatched 8th August 1904.

Received

General No. 678
Muzrai F. No. 36-96

Enclosure No. —

With reference to their application dated 29th February 1904 requesting sanction for a sum of Rs 3523-8-0 as a further contribution from Govt towards the completion of the Sri Venugopala Krishna Swami temple at Malleswaram, has the honor to observe from the statement 7 submitted by them that a sum of Rs 850 is required

for the construction of the Veranda all round the temple and that a sum of Rs 900 is required for the Mahadwara.

2. The Govt will be pleased to sanction one of the other of the two items above named and would prefer the construction of the Mahadwara, but they leave the choice to those interested. It is therefore requested that the opinion of those interested may be communicated to this office ~~early~~ to enable Govt to sanction either of the two items as contribution as stated above.

By order
4/L 5/8/04
Secy. Mun. Dept

Rs
5/8/04 Dewan's Orders)

No: / G/A

Rs
13/8/04

Mallesvaram, Bangalore
Dated 6th August 1904

MYSORE
603
G 3

From

Messrs. S. Venkataramayengar and
S. M. Jagannatha Chetty,

Joint Secretaries,
New Vishnu Temple Committee,
Mallesvaram Extension,
Bangalore City

To

L. Anantasami Rao Esquire B.A.,
Secretary to the Government of
H. H. the Maharaja of Mysore,
Mazrai Dept Bangalore.

Sir,

We have the honour to acknowledge with thanks, the receipt of your docket No 678/Rs.7.36-96, dated the 5th instant, and to state that as kindly suggested by Government, the Temple Committee also prefer the construction, during the current year, of the Mahâdvâra which is estimated to cost Rupees Nine Hundred (Rs. 900/-), exclusive of the cost of the Gopuram (Tower).

We also hope that the Government will be pleased to enable us

Contd.